



Traps and targets for Shooting Clays, Archery and Flashing-Ball

www.laporte.biz

LAPORTE IN THE WORLD

3 FACTORIES





LAPORTE AMERICAPounding Mill - USA



THE CLAY PIGEON COMPANY Bottesford - UK



LAPORTE INDUSTRIE Formerie - FR



LAPORTE BALL-TRAPBiot - FR

SUMMARY

Sporting Clays p.3

Olympic Traps p.11

DTL & American Trap p.14

The Laporte Clays p.16

Phoenix® Range p.18

SPORTING CLAYS



Georgia MOULES

Bronze Medal Junior Team European FITASC

Anthony I. MATARESE

Sporting Clays & NSCA Champion

Ed SOLOMONS

2014 FITASC Sporting World Champion

Gebben MILES

National NSCA 2015 Champion



Trolley in option

Magazine: 8 Columns Capacity: 450 Standard Clays **Delivered Spring:**

- Standard Grey Spring (60-90m)
- Reversed spring with settings at the back in option

Throwing Distance: 90m Re-Cocking time: 1,8 sec Voltage:

- 12V (transformer in option)
- electro-mechanical 12V panel integrated

3-year warranty Tilting Base included (adjustable base) Unbreakable throwing arm, lifetime warranty



Capacity: 700 Standard Clays

- Standard Grey Spring (60-90m)

- Reversed spring with settings at

Throwing Distance: 90m

Re-Cocking Time: 1,8 sec

- 12V (transformer in option)

- electro-mechanical 12V panel

Reverse option available

Unbreakable throwing arm,

Delivered Spring:

the back in option

3-year warranty

(adjustable base)

lifetime warranty

Tilting Base included

Voltage:

integrated

PC 12C 450 PRO

Magazine: 12 Columns Capacity: 450 Standard Clays Delivered Spring:

- Standard Grey Spring (60-90m)
- Reversed spring with settings at the back in option

Throwing Distance: 90m Re-Cocking Time: 1,8 sec Voltage:

- 12V (transformer in option)
- electro-mechanical 12V panel integrated

3-year warranty
Tilting Base included
(adjustable base)
Reverse option available
Unbreakable throwing arm



ACCESSORIES



BLACK SPRING

- Setting at the front
- Throwing distance from 40 to 50 meters



GREEN SPRING

- Setting at the front
- Throwing distance from 50 to 65 meters



GREY SPRING

- Setting at the front
- Throwing distance from 60 to 90 meters



RED SPRING

- Setting at the front
- Throwing distance from 70 to 110 meters



REVERSED GREY SPRING

- Setting at the back
- One spring to replace Black, Green and Grey Springs (10-90m)



TRANSFORMER
110 or 220 V / 12 V



185 PC Battue 12C

Magazine:

12 columns (double knife clay separation system)

Capacity: 400 Battue Clays

Throwing distance: up to 100 m (110 yds)

Re-cocking time: 1,8 sec **Voltage:**

Safety guard included **3-year warranty**

lifetime warranty

185 PC Mini 60 mm 12C PRO

Magazine:

12 columns (double knife clay separation system)

Capacity: 500 Mini clays **Throwing distance:** up to 100 m (110 yds) Re-cocking time: 1,8 sec

- 12V (transformer in option)

Voltage:



185 PC Midi 90 mm 12C PRO

Magazine:

12 columns (double knife clay separation system)


Capacity: 400 Midi clays

Throwing distance: up to 100 m (110 yds)

Re-cocking time: 1,8 sec

Voltage:

- 12V (transformer in option)





ACCESSORIES



RADIO REMOTE 8 Ways

- Signal distance: 300 meter on raised and hilly ground
- Constant signal quality independently from the weather and the surrounding
- Instant release
- Multiple instant releases
- No stopping, no gap and no inconvenient release due to simultaneous remotes use
- More than six month battery life in intensive use



RADIO CONTROL 16 Ways

- LCD (2 lines of 12 characters)
- Counting or deducting mode

Programmation abalities:

- 56 shooting lines
- 15 posts / line
- 16 trap / post
- Abality to lock the line and post number

Solo Mode:

- Release time-lag settings until 15 secondes
- Induction charging on a dedicated
- No need to open the remote to change battery or coding
- Software update by USB

SPORTING CLAYS




Rabbit-Looper 8C

Magazine: 8 columns Capacity: 400 Auto-rabbit Trajectory: Looper or Rabbit Recocking time: 1,8 sec Voltage:

- 12V (transformer in option)
- electro-mechanical 12V panel integrated

Adjustable Base
Safety guard included
3-year warranty
Unbreakable throwing arm,
lifetime warranty.

FROM RABBIT TO LOOPER IN LESS THAN 30 SECONDS



Teal Looper 8C


Magazine: 8 columns
Capacity: 400 Standard clays
Trajectory: Teal or Looper
Re-cocking time: 1,8 sec
Voltage:


- 12V (transformer in option)
- electro-mechanical 12V panel integrated
 Adjustable base

Safety guard included 3-year warranty Unbreakable throwing arm, lifetime warranty.

litetime warranty.

FROM TEAL TO LOOPER IN LESS THAN 30 SECONDS









Re-cocking time: 1,8 sec

Voltage: 12 V Weight: 29 kg 1-year warranty

> Trap delivered without battery

Capacity: 85 Standard clays, Mini 60 mm, Midi 90 mm and 135 Battue

Movement: Horizontal and vertical

Circuit breaker 1-year warranty



Solo use of your Trap



Voice release

T3 & T8 remote with clip-on microphone and receiver





F3 AUTOMATIC TRAP VOICE


For Compak Sporting And 10 other disciplines

"Phono Pull" Automatic

High quality automatic voice detection. Easy to use.

Ground management and chip card system available

OLYMPIC TRAPS



FOR THE OLYMPIC GAMES

Vincent HANCOCK

Skeet Gold Medal Olympic Games 2008 - 2012

Aaron HEADING

Trap Gold Medal Commonwealth Games 2010

Amber HILL

Skeet Gold Medal World Cup Final 2015

Anthony TERRAS

Skeet Bronze Medal Olympic Games 2008

185 OT-UT 6C

With world fastest instant release

Magazine: 6 columns Double knife clay separator Capacity: 200 Standard clays

Nickel plated steel throwing plate **High anti-corrosion performance** Anti-vibration throwing arm assembly

Shock absorbing drop plate

Throwing distance: up to 100 m (110 yds) **Extremely consistent and accurate**

trajectory

Rapid adjustment of trajectories (no tools)

Re-cocking time: 1,8 sec

Voltage:

- 12V (transformer in option)
- electro-mechanical 12V panel integrated

Safety guard included **3-year warranty**



OLYMPIC TRAPS



185 OT-UT 12C

With world fastest instant release

Magazine: 12 columns Double knife clay separator Capacity: 400 Standard clays

Nickel plated steel throwing plate **High anti-corrosion performance** Anti-vibration throwing arm assembly

Shock absorbing drop plate

Throwing distance: up to 100 m (110 yds) **Extremely consistent and accurate**

trajectory

Rapid adjustment of trajectories (no tools)

Re-cocking time: 1,8 sec

Voltage:

- 12V (transformer in option)
- electro-mechanical 12V panel integrated

Safety guard included **3-year warranty**

Unbreakable throwing arm, lifetime

warranty.





185 SKEET 6C

With world fastest instant release

Magazine: 6 columns
Double knife clay separator
Capacity: 350 Standard clays
Throwing distance:

up to 100 m (110 yds)

Re-cocking time: 1,8 sec

Voltage:

- 12V (transformer in option)
- electro-mechanical 12V panel integrated

Safety guard included 3-year warranty



185 SKEET 8C

With world fastest instant release

Magazine: 8 columns
Double knife clay separator
Capacity: 400 Standard clays
Throwing distance:

up to 100 m (110 yds)

Re-cocking time: 1,8 sec

Voltage:

- 12V (transformer in option)
- electro-mechanical 12V panel integrated

Safety guard included 3-year warranty Unbreakable throwing arm, lifetime warranty

|Selected | for RIO 🚖



185 SKEET 12C

With world fastest instant release

Magazine: 12 columns Double knife clay separator **Capacity:** 700 Standard clays

Throwing distance: up to 100 m (110 yds) Re-cocking time: 1,8 sec

Voltage:

- 12V (transformer in option)
- electro-mechanical 12V panel integrated

Safety guard included 3-year warranty Unbreakable throwing arm, lifetime warranty

ACCESSORIES



F3 AUTOMATIC TRAP VOICE

For Skeet, Universal Trench, Olympic Trench, Double Trap And 10 other disciplines

"Phono Pull" Automatic

High quality automatic voice detection. Easy to use.

Ground management and chip card system available



Radio remote available











TRANSFORMER
110 or 220 V / 12 V

13

DTL & AMERICAN TRAP



185 DTL/ATA 6 C

With world fastest instant release

Magazine: 6 columns

Double knife clay separation

Capacity: up to 200 Standard clays **Throwing distance:** 45 to 80 m

(49 to 87 yds)

Movement: Horizontal **Re-cocking time:** 1.8 sec

Voltage:

- 12V (transformer in option)

From 23° to 77° Angle (horizontal)

Safety guard included

Rapid trajectory adjustment

(no tools required)
2-year warranty



With world fastest instant release

Magazine: 12 columns Double knife clay separation

Capacity: up to 350 Standard clays **Throwing distance:** 45 to 100 m

(49 to 110 yds)

Movement: Horizontal **Re-cocking time:** 1.8 sec

Voltage:

- 12V (transformer in option)

From 23° to 77° Angle (horizontal)

Safety guard included Rapid trajectory adjustment

(no tools required)

2-year warranty



185 TALB

185 TAHLB 12C

TA: Horizontal Angle

TAH: Horizontal and Vertical Movement LB: LOW BASE for trench (90 cm - 35").

With world fastest instant release

90 % aluminium

Magazine: 12 columns with fast loading

Throwing distance:

45 to 100 m (50 to 110 yds)
Double knife clay separation **Capacity:** 400 Standard clays

Re-cocking time: 1.8 sec.

Compatible with all springs

Rapid trajectory adjustment (no tools

required)

Random horizontal and vertical movement Voltage:

- 12V (transformer in option)

Safety guard included 2-year warranty

F3 AUTOMATIC TRAP VOICE

For DTL / ATA
And 10 other disciplines
"Phono Pull" Automatic
High quality automatic voice detection.
Easy to use.





Upgrade any trap to an American Trap/DTL*



TA / DTL (ATA) BASE 12V

7 angles: 23° to 77°
Horizontal Movement
100 % Zinc coated steel

Weight: 30 kg

Avalaible 12 V or 220 V

*The horizontal oscillating base can be added on the PC 6, 8, 12 columns machines.

For All 185 Allows horizontal movement on all fixed machines







(Specific to US and UK market)



15





Laporte Compétition



Laporte Grand Prix



Laporte Flash®



The CPC Standard



Mini 90 mm



Euro Bird



Italian Rabbit

Auto R

Auto Rabbit

















Yellow







Pink



Green



Battue



Natural Competition



Slim Rabbit

Midi 60 mm



Natural Grand Prix

SPECIFICATIONS

Weight, density and breakability of Laporte® targets are continuously monitored to provide the best target.

Ш	
AIII.	1
///	

STANDARD CLAYS: PITCH	H, RESIN or COLOPHANE				
DIAMETER: 110 mm	COLOUR	Weight	Clays per Box	Boxes per Pallet	Clays per Pallet
Laporte Competition	Black / Orange	105 gr	150	55	8 2 5 0
Laporte Grand Prix	Black / Orange	105 gr	150	55	8 2 5 0
Laporte Super Competition	Black / Orange	105 gr	150	55	8250

Additional colours for standard clays: white, yellow, red, pink and green. Contact us.

SPECIAL CLAYS FOR SPOR PITCH, RESIN or COLOPHA		Weight	Clays per Box	Boxes per Pallet	Clays per Pallet
MINI Ø 60 mm - H : 11 mm	Black Orange	35 gr	408	18	7344
MIDI ∅ 90 mm - H : 11 mm	Black Orange	78 gr	160	60	9600
BATTUE Ø 108 mm - H : 7 mm	Black Orange	80 gr	200	60	12000
AUTORABBIT Ø 110 mm - H : 11mm	Black Orange	115 gr	160	50	8 000
SLIM RABBIT (Manual Rabbit) Ø 98 mm - H : 15,2 mm	Black Orange	105 gr	120	50	6 000
ITALIAN RABBIT Ø 98,5 mm - H : 12 mm	Black Orange	108 gr	135	55	7260

FLASH® CLAYS LONDON MODEL			
Orange or White powder For Finals and/or TV			
COLOUR:	Orange		
WEIGHT:	108 gr		
CLAYS PER BOX:	150		
BOX PER PALLET:	55		
CLAYS PER PALLET:	8250		

All our clays are avalaible in pitch, resin or colophane

DEPARTURE FROM FORMERIE, FRANCE OR DEPARTURE FROM BOTTESFORD, UK

USA DELIVERY FULL CONTAINER ORDERS ONLY


CONTAINING OF STANDARD CLAYS					
	Weight	Pallets	Boxes	Clays	
Full truck	25 200 kg	28 of 55 boxes	1540	231 000	
20 ft container	21 600 kg	without pallet	1320	198 000	
20 ft container	9 900 kg	11 of 55 boxes	605	90 750	
40 ft container	21 120 kg	24 of 55 boxes	1320	198 000	

For certain countries, fumigation charges of wooden pallets are to be expected.

We advise our customers to check the law in force for waste disposal before ordering clays (pitch or resin).

All our clays are available in Pitch, Resin or Colophane





1 machine, as many trajectories from 0° to 90°

The Phoenix® machine offers on its own, a range of variable tests with increasing difficulty.

The trajectory adaptor specially developed for the Phoenix® range allows, by simple manual adjustment, to throw the targets in any trajectories: from vertical (90°), to looper (45°) and rabbit (0°).

THE PHOENIX® RANGE



Phœnix® 65T25

Capacity: 65 targets
Magazine: 5 columns
for targets Ø 25 mm (10")
Re-cocking time: 2,2 sec.
Rapid trajectory adjustment

(without tools)

Cable release button 25 m (82 ft)

Trolley included 2 years warranty



Phœnix® 8T33

Capacity: 8 targets
Rail for targets: Ø 33 cm (13")
Re-cocking time: 2,2 sec.
Rapid trajectory adjustment

(without tools)

Cable release button 25 m (82 ft)

Trolley included 2 years warranty

Technical features

Patented

- Easy adjustable trajectories for consistent targets from 0 to 90 deg. (Rabbit, Looper, Vertical).
- Easily adjustable spindle to control speed, height and distance.
- Mobile with pneumatic wheels and handle for easy transportation over all ground conditions.
- Powered by 12V battery⁽¹⁾. Fully charged battery capable of launching up to 5 000 targets.
- Transformer in option
- Complete with safety protection on all moving parts.

- Rapid re-arming cycle (2,2 sec).
- Comes with 25 m (82 ft) cable release button (manual).
- Designed to work in all weather condtions.
- Includes an Owners Instruction
 Manual and the appropriate targets.
- (1) Battery not included

TARGETS



PHOENIX® ACCESSORIES

FOR 65T25 and 8T33



Foot release With 82 feet cable



Wireless releaseWith transmitter and receiver



Automatic release timer With cable, 1 machine



Automatic sequencer With cable, 5 machines



Gel battery

For battery, solar panel and transformer, please contact us.



Inflatable structure

Width: 10 m (33 ft) - Height: 8 m (26 ft) Two blowers 950W - 220v Struts and anchors Erected in (approx.) 25 mins

ARCHERY EQUIPMENT



Kit safety indoor or outdoor

5 bows + 60 Safe Arrows + 5 arm guards + 5 finger guards

Safe ArrowsPack of 60 Safe Arrows



Kit Flu-Flu

5 bows + 60 Safe Arrows + 5 arm guards + 5 finger guards

Flu-Flu Arrows Pack of 60 Flu-Flu Arrows



Ambidextrous bow
Arm guard
Finger guard
Crossbow
Crossbow bolt
Threaded safety arrow support

PAINTBALL AND FLASHING-BALL EQUIPMENT



Paintballs or shelled powder balls







SHARE YOUR PASSION SUPPORT YOUR SPORT

Like the Federations and the main shooting world actors as **BERETTA**, **BROWNING**, **ZOLI**, **LAPORTE** and many others, numerous shooting grounds and champions, over more than 70 countries: join the shooters community on **WESHOOT**.

Follow your shooting ground, federations and competitions' news live, by subscribing to their **dedicated Pro Pages**.

As we engage with LAPORTE ACADEMY, digitally share your great moments and encourage your champions and your young talents to make our sport live!

Shooting ground owners, be sure to use WeShoot to push up the market and to get more members.





Download WESHOOT free. The true social network designed for shooters

Shooting Ground Owners and shooting sport professionnals, create your Page Pro on www.weshootapp.com and manage your community.

WWW.WESHOOTAPP.COM





Head Office France Laporte Ball-Trap

371 Chemin des Prés 06410 Biot France

Tél.: +33 (0)4 93 65 77 77 Fax: +33 (0)4 93 65 77 78 info@laporte.biz

United Kingdom The Clay Pigeon Company Ltd

Sherwood House Normanton Lane Bottesford Notts NG13 OEN Phone: +44 (0)1949 843 777 Fax: +44 (0)1949 843 555 enquiries@laporte-cpc.biz

Laporte America

129 Post Street PO Box 492 Pounding Mill, VA 24637 Phone: +1 800-335-8727 Fax: +1 703-831-0234 info@laporteamerica.com