
FITNESS SOLUTIONS | gerflor.com






A GERFLOR FITNESS SOLUTION





A GERFLOR FITNESS SOLUTION FOR EVERY CLUB AREAS

FOR EVERY CLUB AREAS



200,000 m² installed every day



GROUP EXERCISE AREAS


GYMNASTICS // AEROBICS // STRETCHING

Comfort Safety Shock absorption

For over 60 years Taraflex® sports floors have been renowned for their quality and performance.

100,000 people a day train on Taraflex® Floors worlwide.

Taraflex® Sports Floors have been designed with biomechanics specialists to minimise stress on joints during physical activity and reduce risks of injury.




TARAFLEX® - Framboise

TARAFLEX® - Silver gray

TARAFLEX® - Oak design......









CARDIO AREAS

CYCLING // FREE WEIGHT // RUNNING


Heavy loads Easy clean Acoustic comfort

Floors in Weight Training and Cardio spaces have to withstand high stresses: heavy static loads, weights.

To handle these strains Gerflor offers a range of technical products that are **highly resistant** to indentation and also **easy cleaning.**

Noise reduction is also a key feature.

The right flooring solutions will provide excellent **acoustic comfort** and **user confidence**.



GTI - Dark Stone

GTI Uni - Puma.....

CREATION CLIC








RELAXATION AREAS

BAR // SPA



Use this **ultra stylish** range to create chic, warm ambiances and make your relaxation and spa areas into **spaces for well being and interaction.**

Create and **personalise your own decor scheme** selecting your colours from the multiple options on offer in our Gerflor ranges.



CREATION - Wood.








CHANGING AREAS

SHOWERS



Use Gerflor's state-of-the-art solutions to fit out changing rooms and shower areas in **total safety.**

Impermeable and **easy clean**, Gerflor products will guarantee **ultra-hygienic** floors.



TARASAFE

TARASAFE Geo - Sunset......








SPORTS FACILITIES

TENNIS // BADMINTON // SQUASH

Tennis Badminton Squash

Taraflex® Sports Floors **meet the specific needs** of racquet sports (tennis, badminton, squash) and are the ideal surfaces for your fitness complex, providing optimal **player comfort and enjoyment.**



Gerflor sales representative



WHY CHOOSE **GERFLOR FITNESS RANGE?**

5 GOOD REASONS FOR CHOOSING GERFLOOR FLOORS




EXTENSIVE CHOICE OF COLOURS & DESIGNS

With over **1000 decor styles and designs** by mixing colours, woods and materials you can personalise your floor spaces and create your own visual identity!



SIMPLE TO LAY

Easy and time saving... with Gerflor, your flooring is laid in no time. And if you want a change of design, no problem: with loose-lay and snap-together flooring types, tile sections can be easily removed or replaced without having to close your sports complex.





TUUL

Removable



EASY CLEAN

Protecsol® treated surfaces require only simple manual cleaning, reducing maintenance costs by 80% compared with equivalent materials.



EXCELLENT ACOUSTIC PROPERTIES

With Gerfloor floor coverings you are guaranteed impeccable **sound insulation**. Class A or B (or the lowest decibel level), our products absorb noise and vibrations for superior user comfort.



HIGH PRODUCT DURABILITY

We use fiberglass reinforcing grids to make our products stronger and more stable. Our use of superior grade raw materials and innovative surface treatments ensures high wear resistance and excellent durability.




GERFLOR AN ECO-FRIENDLY PLAYER

ENVIRONMENT PROTECTION OUR PRIORITY

We already incorporate use of recycled materials into all our product ranges but Gerflor has also developed a new generation of loose-lay products thereby reducing use of adhesive and facilitating recovery and recycling of end-of-life products.





- NO plasticisers known to be toxic to reproduction
- NO solvent-containing printing inks
- NO substances known to be carcinogenic
- NO substance potentially subject to REACH restrictions



Emissions conforming to European standards

- TVOC < 100 µg/m³ after 28 days
- No emission of carcinogenic compounds, including formaldehyde





ISO 14001 Certification

Geflor's industrial sites hold ISO 14001 certification



Recycling of waste in our factories

- 100% of our production waste is recycled and re-used
- Recycling of laying offcuts and removed flooring



Ecodesign

- Health & Environment Declaration on all our products
- \bullet Surface treatments: Protecsol®, Sparclean®, Evercare $^{\!\scriptscriptstyle{\mathsf{M}}}$



	STANDARD	REQUIREMENT	UNIT
DESCRIPTION			
Total thickness	EN 428	-	mm
Weight	EN 430	-	kg/m²
Width	EN 426 - EN 427	-	ml
Length	EN 426 - EN 427	-	ml
CLASSIFICATION			
Floor classification	EN 685	-	Class
Fire behaviour	EN 13 501-1	-	Class
TVOC after 28 days	ISO 16000-6	< 1000	μg
TECHNICAL PERFORMANCES			
Abrasion class	EN 649	-	Group
Residual indentation after static loading	EN 433	-	mm
Treatment	-	-	-
Surface treatment	-	-	-
Anti-bacterial activity (E. coli - S. aureus - MRSA)**	ISO 22196	-	-
SPORTS PERFORMANCES			
Shock absorption	EN 14808	> 25	%
Vertical deformation	EN 14809	< 3,5	mm
Energy return	NF P 90 203	> 0,31	m/s
Slip resistance	EN 13036-4	80-110	-
Indentation	EN 1516	< 0,5	mm
Abrasion resistance	EN ISO 5470-1	< 1000	mg
CE MARKING			
CE	EN 14 904 : 2006	-	-

TECHNICAL DATA SHEET

TARAFLEX® SPORT M EVOLUTION	GTI TILE	CREATION*	CREATION CLIC SYSTEM	TARASAFE
7	6	2,5	6	2
4,6	9,3	3,9 à 4,3	9,9	2,6
1,5	0,635	-	0,176	2
20,5	0,635	-	1	20
		*		
-	34-43	34-43	34-43	34-43
C _{fl} -s1	B _{fl} -s1	B _{fl} -s1	B _{fl} -s1	B _{fl} -s1
< 100	-	< 100	< 100	< 100
-	Т	Т	Т	Т
-	< 0,1	≤ 0,1	≤ 0,1	< 0,1
Sanosol®	-	-	-	Sanosol®
Protecsol®	PU	PUR+	PUR+	Sparclean®
> 99.9% inhibits growth	-	-	-	-
P1	-	-	-	-
< 2	-	-	-	-
> 0,31	-	-	-	-
80-110	-	-	-	-
< 0,5	-	-	-	-
< 350	-	-	-	-

Fire Shock absorption Slip resistance Abrasion resistance Rolling load resistance

EN 14 041









^{*} Please refer to CREATION guide.

^{**} The implementation of an effective cleaning regime is the most important defence against infection.

Tel: +33 (0)4 74 05 40 00 Fax: +33 (0)4 74 05 04 60

Email: gerflorcontact@gerflor.com

gerflor.com

ARCHITECTURE DECORATION SPORT TECHNOSPECIFIC





